

UV RNA no FAIMS S100

Load required packages

```
## corrplot 0.84 loaded
## -- Attaching packages --
## <U+2713> ggplot2 3.2.1      <U+2713> purrr   0.3.3
## <U+2713> tidyverse 1.0.0     <U+2713> dplyr    0.8.3
## <U+2713> readr   1.3.1      <U+2713> forcats 0.4.0

## -- Conflicts --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()   masks stats::lag()

##
## Attaching package: 'kableExtra'
## The following object is masked from 'package:dplyr':
## 
##     group_rows

##
## Attaching package: 'magrittr'
## The following object is masked from 'package:purrr':
## 
##     set_names

## The following object is masked from 'package:tidyverse':
## 
##     extract

##
## Attaching package: 'gridExtra'
## The following object is masked from 'package:dplyr':
## 
##     combine

##
## ****
## Note: As of version 1.0.0, cowplot does not change the
## default ggplot2 theme anymore. To recover the previous
## behavior, execute:
## theme_set(theme_cowplot())

## ****
## 
## Attaching package: 'cowplot'
```

```

## The following object is masked from 'package:ggpubr':
##
##     get_legend

## Loading required package: lattice

## Loading required package: survival

## Loading required package: Formula

##
## Attaching package: 'Hmisc'

## The following objects are masked from 'package:dplyr':
##
##     src, summarize

## The following objects are masked from 'package:base':
##
##     format.pval, units

##
## Attaching package: 'caret'

## The following object is masked from 'package:survival':
##
##     cluster

## The following object is masked from 'package:purrr':
##
##     lift

## Loading required package: usethis

```

Loading RNP:Xl data into the R environment

I included the manually evaluated datasets for my ASMS talk to see if machine learning can help me with identifying a possible score cutoff or other metric to help reduce the numbers of entries I have to go through after RNP:xl output. The datasets include a merged version of both the S30 and S100 fraction that were initially considered individually:

*Ecoli UV RNA

Data wrangling

First, we need to add an extra column to each dataset, indicating which cross-linker was used in the experiment.

Then, we need to combine the dataframes.

First filtering step

Remove any entry that does not contain an RNA adduct and fits to a target better than a decoy.

Compute additional metrices (columns)

Peplength

classification of amino acids

Create new column with peptide length and classify identified amino acids in peptides as follows:

1. charged amino acids: R, K, D, E
2. polar amino acids: Q, N, H, S, T, Y, C, W
3. hydrophobic amino acids: A, I, L, M, V, P, G

Peptide pI (isoelectric point)

Compute the isolelectric point for each peptide in each entry.

aI (aliphatic index)

Compute the aliphatic Index for each peptide in each entry. See the following paper for more info:

Thermostability and aliphatic index of globular proteins. J Biochem. 1980 Dec;88(6):1895-8.

“A statistical analysis shows that the aliphatic index, which is defined as the relative volume of a protein occupied by aliphatic side chains (alanine, valine, isoleucine, and leucine), of proteins of thermophilic bacteria is significantly higher than that of ordinary proteins. The index may be regarded as a positive factor for the increase of thermostability of globular proteins.”

In general, an aI of greater 92.6 is particularly stable thermally as found in thermophiles. Now, since we are investigating tryptic peptides, I could only find one paper on that matter.

GETTING INTIMATE WITH TRYPSIN, THE LEADING PROTEASE IN PROTEOMICS Published online 15 June 2013 in Wiley Online Library (wileyonlinelibrary.com). DOI 10.1002/mas.21376

According to this paper, human proteins result in 61 tryptic peptides on average.

proposed cross-linking amino acid

Hydrophobicity index

Molecular weight of peptide

Note: returns the average masses, not the monoisotopic masses!

Machine learning

Split dataset

Separate different species of nucleotides (RNA, DNA) and cross-linker (UV, DEB).

Setting up the dataset

Harmonize the number of trues and falses and dropping all categorical columns.

```
set.seed(42)
drops_general<-c("precursor_purity", "RNPxl_a_ion_score")

ml_UV_RNA<-data1 %>%
  filter(XLinker == "UV", Curated == "0", Nucleotides == "RNA") %>%
  sample_n(838) %>%
  rbind(RNA_UV)
rows_UV_RNA <- sample(nrow(ml_UV_RNA))
ml_UV_RNA <- ml_UV_RNA[rows_UV_RNA, ] %>%
  dplyr::select_if(is.numeric)
ml_UV_RNA<-ml_UV_RNA[, !(colnames(ml_UV_RNA) %in% drops_general)]
```

Splitting into train and test data

I will use 80% of the data to train, and 20% to test the model

```
ml_UV_RNA$Curated<-as.factor(ml_UV_RNA$Curated)
ml_UV_RNA$Curated<-factor(ml_UV_RNA$Curated, levels = c("0", "1"), labels = c("False", "True"))
ml_UV_RNA_train <- ml_UV_RNA[1:1340, ]
ml_UV_RNA_test <- ml_UV_RNA[1341:1676, ]
```

KNN

K nearest neighbor classification based on numeric variables, min-max normalized.

```
library(class)

## Warning: package 'class' was built under R version 3.6.2
library(gmodels)

## Warning: package 'gmodels' was built under R version 3.6.2

knn_drop <- c("Curated", "isotope_error", "RNPxl_a_ion_score", "RNPxl_precursor_purity")

normalize <- function(x) {
  return((x-min(x))/(max(x)-min(x)))
}

ml_UV_RNA_test_knn<-ml_UV_RNA_test[, !(names(ml_UV_RNA_test) %in% knn_drop)]
ml_UV_RNA_test_knn<-as.data.frame(lapply(ml_UV_RNA_test_knn[1:39], normalize))
ml_UV_RNA_test_knn_labels<-ml_UV_RNA_test[1:336, 5]

ml_UV_RNA_train_knn<-ml_UV_RNA_train[, !(names(ml_UV_RNA_train) %in% knn_drop)]
ml_UV_RNA_train_knn<-as.data.frame(lapply(ml_UV_RNA_train_knn[1:39], normalize))
ml_UV_RNA_train_knn_labels<-as.data.frame(ml_UV_RNA_train[1:1340, 5])
```

Evaluate Model Performance UV RNA

Here, I chose 5 neighbors:

```
UV_RNA_knn_pred <- knn(train = ml_UV_RNA_train_knn, test = ml_UV_RNA_test_knn,
                           cl = ml_UV_RNA_train_knn_labels$Curated, k = 5)
CrossTable(x = ml_UV_RNA_test_knn_labels$Curated, y = UV_RNA_knn_pred, prop.chisq = F)

##
##
##      Cell Contents
## |-----| N |
## |           N / Row Total | 
## |           N / Col Total | 
## |           N / Table Total | 
## |-----|
## 
## 
## Total Observations in Table:  336
##
```

```

##                                     | UV_RNA_knn_pred
## ml_UV_RNA_test_knn_labels$Curated |   False |     True | Row Total |
## -----|-----|-----|-----|
##           False |    147 |      11 |    158 |
##           | 0.930 | 0.070 | 0.470 |
##           | 0.948 | 0.061 | |
##           | 0.438 | 0.033 | |
## -----|-----|-----|-----|
##           True |      8 |    170 |    178 |
##           | 0.045 | 0.955 | 0.530 |
##           | 0.052 | 0.939 | |
##           | 0.024 | 0.506 | |
## -----|-----|-----|-----|
##           Column Total |    155 |    181 |    336 |
##           | 0.461 | 0.539 | |
## -----|-----|-----|-----|
##
```

Decision trees and classification rules

C5.0

```

library(C50)

## Warning: package 'C50' was built under R version 3.6.2
C5_drop <- c("isotope_error", "RNPxl_a_ion_score", "precursor_purity")

ml_UV_RNA_train_C5<-ml_UV_RNA_train[, !(names(ml_UV_RNA_train) %in% C5_drop)]
ml_UV_RNA_test_C5<-ml_UV_RNA_test[, !(names(ml_UV_RNA_test) %in% C5_drop)]
```

UV RNA

with boosting and penalty for false positives

penalize False Positives 4 times more than false negatives.

```

matrix_dimensions<- list(c("True", "False"), c("True", "False"))
names(matrix_dimensions) <- c("predicted", "actual")
error_cost <- matrix(c(0,1,4,0), nrow = 2, dimnames = matrix_dimensions)

C5_model_UV_RNA_boost_pen<-C5.0(x=ml_UV_RNA_train_C5[-5], y=ml_UV_RNA_train_C5$Curated,
                                    costs = error_cost, trials = 10)
summary(C5_model_UV_RNA_boost_pen)

##
## Call:
## C5.0.default(x = ml_UV_RNA_train_C5[-5], y = ml_UV_RNA_train_C5$Curated,
##   trials = 10, costs = error_cost)
##
##
## C5.0 [Release 2.07 GPL Edition]      Thu Jan 30 08:22:25 2020
## -----
```

```

##
## Class specified by attribute `outcome'
##
## Read 1340 cases (40 attributes) from undefined.data
## Read misclassification costs from undefined.costs
##
## ----- Trial 0: -----
##
## Decision tree:
##
## score > 0.061008:
## ....RNPxl_pl_pc_MIC <= 0.007726523:
## : ....RNPxl_pl_MIC > 0.04139248:
## : : ....precursor <= 753.8025: True (11)
## : : : precursor > 753.8025: False (16/3)
## : : RNPxl_pl_MIC <= 0.04139248:
## : : : ....RNPxl_pl_pc_MIC <= 0.0001836105: False (561/11)
## : : : RNPxl_pl_pc_MIC > 0.0001836105:
## : : : : ....RNPxl_pl_modds <= 0.730354: False (72/9)
## : : : : RNPxl_pl_modds > 0.730354:
## : : : : : ....precursor_intensity <= 1838890: False (8/3)
## : : : : : precursor_intensity > 1838890: True (11)
## : : RNPxl_pl_pc_MIC > 0.007726523:
## : : : ....aa_class_polar > 5: False (5/1)
## : : : aa_class_polar <= 5:
## : : : : ....RNPxl_total_MIC > 0.1157202: True (64)
## : : : : RNPxl_total_MIC <= 0.1157202:
## : : : : : ....RNPxl_RNA_MASS_z0 > 404.0022:
## : : : : : : ....Hydro <= -0.49: False (6/3)
## : : : : : : Hydro > -0.49: True (22)
## : : : : RNPxl_RNA_MASS_z0 <= 404.0022:
## : : : : : ....score > 0.419009: False (5)
## : : : : : score <= 0.419009:
## : : : : : : ....RNPxl_marker_ions_score <= 0.06687339: True (6)
## : : : : : : RNPxl_marker_ions_score > 0.06687339: False (2)
## score <= 0.061008:
## ....RNPxl_modds <= 0.2422339:
## : ....aIndex <= 90.69: False (21/7)
## : : aIndex > 90.69: True (21)
## : RNPxl_modds > 0.2422339:
## : ....pI > 6.16:
## : : ....Hydro > -0.39: True (263)
## : : : Hydro <= -0.39:
## : : : : ....RT <= 1995.088: True (26)
## : : : : RT > 1995.088: False (9/6)
## : pI <= 6.16:
## : : ....RNPxl_RNA_MASS_z0 <= 244.0695: False (5/2)
## : : RNPxl_RNA_MASS_z0 > 244.0695:
## : : : ....aa_class_charged <= 2:
## : : : : ....RNPxl_best_localization_score <= 0.0497132: False (3)
## : : : : : RNPxl_best_localization_score > 0.0497132: True (5)
## : : : aa_class_charged > 2:
## : : : : ....aa_class_polar <= 3: True (79/1)
## : : : : aa_class_polar > 3:

```

```

## :...RNPxl_RNA_MASS_z0 > 635.0778: True (49/1)
## RNPxl_RNA_MASS_z0 <= 635.0778:
## :...RNPxl_pl_MIC > 0.02491653: True (26)
## RNPxl_pl_MIC <= 0.02491653:
## :...RNPxl_marker_ions_score <= 0.09317322: False (32/22)
## RNPxl_marker_ions_score > 0.09317322: True (12)
##
## ----- Trial 1: -----
##
## Decision tree:
##
## score <= 0.0726375:
## :...RNPxl_partial_loss_score <= 0.7555764: False (28/19.6)
## : RNPxl_partial_loss_score > 0.7555764: True (869/27.5)
## score > 0.0726375:
## :...RNPxl_pl_pc_MIC <= 0.002406057:
## :...RNPxl_marker_ions_score > 0.03210174: False (101.9/77.7)
## : RNPxl_marker_ions_score <= 0.03210174:
## : :...RNPxl_pl_modds <= 0.33299:
## : :...aa_class_polar <= 6: False (272)
## : : aa_class_polar > 6:
## : : :...RNPxl_MIC <= 0.4404297: False (73.2/12.7)
## : : : RNPxl_MIC > 0.4404297: True (13.5/0.8)
## : : RNPxl_pl_modds > 0.33299:
## : : :...score > 0.759875: True (59.1/8.3)
## : : score <= 0.759875:
## : : :...RNPxl_MIC <= 0.4907319: False (134.1/46.4)
## : : : RNPxl_MIC > 0.4907319: True (16.5/1.5)
## RNPxl_pl_pc_MIC > 0.002406057:
## :...precursor > 1085.438: False (7.6/1.5)
## precursor <= 1085.438:
## :...RNPxl_RNA_MASS_z0 <= 244.0695: False (9.8/4.5)
## RNPxl_RNA_MASS_z0 > 244.0695:
## :...precursor_error_ppm <= 0.2314823: False (15.1/9.1)
## precursor_error_ppm > 0.2314823:
## :...RNPxl_pl_Morph <= 2.00818: False (21.2/11.3)
## RNPxl_pl_Morph > 2.00818: True (198.5/2.3)
##
## ----- Trial 2: -----
##
## Decision tree:
##
## RNPxl_pl_pc_MIC > 0.001713034: True (952.1/52.3)
## RNPxl_pl_pc_MIC <= 0.001713034:
## :...RNPxl_precursor_score > 0.002855255: True (94.3/1.2)
## RNPxl_precursor_score <= 0.002855255:
## :...RNPxl_total_loss_score > 13.47351:
## :...RNPxl_pl_pc_MIC > 0.001647775: False (7.3)
## : RNPxl_pl_pc_MIC <= 0.001647775:
## : :...RNPxl_pl_im_MIC <= 0.007103287: True (153.1/2.1)
## : : RNPxl_pl_im_MIC > 0.007103287: False (33.9/25.7)
## RNPxl_total_loss_score <= 13.47351:
## :...RNPxl_pl_MIC > 0.04215598: True (124.6/9.4)
## RNPxl_pl_MIC <= 0.04215598:

```

```

##      ....RNPxl_pl_modds <= 0.33299: False (317.8/30.2)
##      RNPxl_pl_modds > 0.33299:
##      ....precursor > 1005.797: False (33.2)
##      precursor <= 1005.797:
##      ....RNPxl_score <= -2.285719: False (24.1)
##      RNPxl_score > -2.285719:
##      ....RNPxl_total_MIC <= 0.04661144: True (91.7/2.4)
##      RNPxl_total_MIC > 0.04661144: False (130.2/85.5)
##
##      ---- Trial 3: -----
##
## Decision tree:
##
## score > 0.279249:
## :....RNPxl_pl_pc_MIC > 0.021649: True (131/7.8)
## :   RNPxl_pl_pc_MIC <= 0.021649:
## :     ....RNPxl_total_MIC > 0.4968228: True (59.5/7.4)
## :     RNPxl_total_MIC <= 0.4968228:
## :       ....RNPxl_marker_ions_score > 0.07374955: True (56.5/8.1)
## :       RNPxl_marker_ions_score <= 0.07374955:
## :         ....RNPxl_pl_modds <= 0.07581517: False (132)
## :         RNPxl_pl_modds > 0.07581517:
## :           ....RNPxl_partial_loss_score <= 5.0293: False (194.9/52.1)
## :           RNPxl_partial_loss_score > 5.0293:
## :             ....precursor > 1005.471: False (60)
## :             precursor <= 1005.471:
## :               ....RNPxl_best_localization_score <= 0.2996045: True (134.5/13.6)
## :               RNPxl_best_localization_score > 0.2996045: False (7.2)
## score <= 0.279249:
## :....RNPxl_precursor_score > 0.01703667: True (127.6)
##   RNPxl_precursor_score <= 0.01703667:
##     ....RNPxl_total_loss_score <= 1.654075:
##       ....RNPxl_partial_loss_score > 4.360192: True (36.3/0.5)
##       RNPxl_partial_loss_score <= 4.360192:
##         ....RT <= 2036.58: True (31.8/1.4)
##         RT > 2036.58: False (43.1/5.6)
##       RNPxl_total_loss_score > 1.654075:
##         ....RNPxl_pl_pc_MIC > 0.01650992: True (135.5)
##         RNPxl_pl_pc_MIC <= 0.01650992:
##           ....RNPxl_pl_MIC > 0.04691937: True (81.4)
##           RNPxl_pl_MIC <= 0.04691937:
##             ....RNPxl_score <= 0.1529219: False (53.1/33.2)
##             RNPxl_score > 0.1529219:
##               ....Hydro > -0.2: True (312.3/9.5)
##               Hydro <= -0.2:
##                 ....RNPxl_Da_difference <= -0.0007993339: True (87.8)
##                 RNPxl_Da_difference > -0.0007993339:
##                   ....aa_class_charged > 5: True (30.3)
##                   aa_class_charged <= 5:
##                     ....RNPxl_total_MIC > 0.5777186: True (25.5)
##                     RNPxl_total_MIC <= 0.5777186:
##                       ....RNPxl_modds > 11.55659: True (16.4)
##                       RNPxl_modds <= 11.55659: [S1]
##

```

```

## SubTree [S1]
##
## RNPxl_immonium_score <= 0.03291839: True (54.3/5.5)
## RNPxl_immonium_score > 0.03291839:
## ....RNPxl_pl_MIC <= 0.006622917: True (13.8/0.9)
##      RNPxl_pl_MIC > 0.006622917: False (64.3/21.6)
##
## ----- Trial 4: -----
##
## Decision tree:
##
## score <= 0.279249:
## ....RNPxl_pl_modds <= 0.06587414: False (73.6/44.2)
## :   RNPxl_pl_modds > 0.06587414:
## :     ....RNPxl_precursor_score > 0.01703667: True (98.8)
## :       RNPxl_precursor_score <= 0.01703667:
## :         ....RT <= 1707.911: True (112.7/2.2)
## :           RT > 1707.911:
## :             ....Peplength <= 9: False (72.9/46.2)
## :               Peplength > 9:
## :                 ....Hydro <= -0.9: False (30.2/20.6)
## :                   Hydro > -0.9:
## :                     ....aIndex > 126.96: False (27.9/19.5)
## :                       aIndex <= 126.96:
## :                         ....RNPxl_pl_MIC > 0.01001978: True (562.5/20.6)
## :                           RNPxl_pl_MIC <= 0.01001978:
## :                             ....RNPxl_pl_modds <= 0.1546841: True (83.5/0.7)
## :                               RNPxl_pl_modds > 0.1546841:
## :                                 ....RNPxl_precursor_score <= 0.002451922: False (79.4/52)
## :                                   RNPxl_precursor_score > 0.002451922: True (23.6)
## score > 0.279249:
## ....RNPxl_pl_pc_MIC > 0.007726523:
## : ....RNPxl_RNA_MASS_z0 <= 324.0359: False (60/36.7)
## :   RNPxl_RNA_MASS_z0 > 324.0359: True (149.6/4.9)
## :     RNPxl_pl_pc_MIC <= 0.007726523:
## :       ....RNPxl_pl_Morph <= 3.006252: False (144.9)
## :         RNPxl_pl_Morph > 3.006252:
## :           ....RT > 3562.469: False (67.8)
## :             RT <= 3562.469:
## :               ....precursor > 1058.797: False (35.4)
## :                 precursor <= 1058.797:
## :                   ....aa_class_hydrophobic > 12: False (11.9)
## :                     aa_class_hydrophobic <= 12:
## :                       ....RNPxl_modds <= 1.15274e-005: True (47.4/0.7)
## :                         RNPxl_modds > 1.15274e-005:
## :                           ....RNPxl_pl_modds <= 0.2060084: False (21.3)
## :                             RNPxl_pl_modds > 0.2060084:
## :                               ....Peplength > 18: False (11.9)
## :                                 Peplength <= 18:
## :                                   ....RNPxl_RNA_MASS_z0 <= 244.0695: False (6.9)
## :                                     RNPxl_RNA_MASS_z0 > 244.0695: [S1]
##
## SubTree [S1]
##

```

```

## RNPxl_best_localization_score > 0.2416947: True (29.5)
## RNPxl_best_localization_score <= 0.2416947:
## :....RNPxl_pl_pc_MIC <= 0.0004818717: False (79.6/49.9)
##      RNPxl_pl_pc_MIC > 0.0004818717: True (88.3/3.1)
##
## ----- Trial 5: -----
##
## Decision tree:
##
## score <= 0.0792426:
## :....RT <= 2026.161: True (267.9)
## :    RT > 2026.161:
## :      ....RNPxl_total_MIC <= 0.1033425: False (26.9/15.5)
## :          RNPxl_total_MIC > 0.1033425:
## :            ....RNPxl_score <= -0.6372114: False (24.8/15.3)
## :                RNPxl_score > -0.6372114:
## :                  ....pI > 6.5: True (202/2.2)
## :                      pI <= 6.5:
## :                        ....RNPxl_best_localization_score > 0.5767938: True (71.9)
## :                            RNPxl_best_localization_score <= 0.5767938:
## :                              ....RNPxl_RNA_MASS_z0 > 635.0778: True (138.3/2.8)
## :                                  RNPxl_RNA_MASS_z0 <= 635.0778:
## :                                    ....score > 0.00985416: True (49.4)
## :                                        score <= 0.00985416:
## :                                          ....RNPxl_immonium_score > 0.1319419: False (6.3/0.3)
## :                                              RNPxl_immonium_score <= 0.1319419:
## :                                                ....RNPxl_immonium_score > 0.1050521: True (35)
## :                                                    RNPxl_immonium_score <= 0.1050521:
## :                                                      ....RNPxl_immonium_score > 0.0983247: False (5.5/0.3)
## :                                                          RNPxl_immonium_score <= 0.0983247:
## :                                                            ....precursor > 1184.961: True (44.3)
## :                                                                precursor <= 1184.961: [S1]
## :
## score > 0.0792426:
## :....RNPxl_pl_pc_MIC > 0.007726523:
## :    ....RNPxl_total_MIC > 0.1157202: True (233.4/1.3)
## :        RNPxl_total_MIC <= 0.1157202:
## :          ....aa_class_charged <= 1: True (29.5)
## :              aa_class_charged > 1: False (97.6/71.4)
## :            RNPxl_pl_pc_MIC <= 0.007726523:
## :              ....RNPxl_pl_Morph <= 4.002007: False (171.8/18)
## :                  RNPxl_pl_Morph > 4.002007:
## :                    ....RT > 3562.469: False (53.9)
## :                        RT <= 3562.469:
## :                          ....precursor > 1062.842: False (29.1)
## :                            precursor <= 1062.842:
## :                              ....aa_class_hydrophobic > 12: False (9)
## :                                aa_class_hydrophobic <= 12:
## :                                  ....RNPxl_pl_pc_MIC > 0.00714745: False (7.6)
## :                                      RNPxl_pl_pc_MIC <= 0.00714745:
## :                                        ....RNPxl_pl_MIC > 0.04691937: True (57.8)
## :                                            RNPxl_pl_MIC <= 0.04691937:
## :                                              ....RNPxl_precursor_score > 0: True (21.8)
## :                                                RNPxl_precursor_score <= 0:
## :                                                  ....RNPxl_Morph > 4.07617: False (19.8/4.7)

```

```

##                                     RNPxl_Morph <= 4.07617:
##                                     ....RNPxl_Morph <= 2.374591: False (14.1)
##                                     RNPxl_Morph > 2.374591: [S2]
##
## SubTree [S1]
##
## RNPxl_immonium_score > 0.08947683: True (34)
## RNPxl_immonium_score <= 0.08947683:
## ....RNPxl_pl_im_MIC <= 0.001106155: False (69.2/45.5)
##     RNPxl_pl_im_MIC > 0.001106155:
##     ....RNPxl_Da_difference <= -0.002918677: False (3.3)
##         RNPxl_Da_difference > -0.002918677: True (155.7/10.8)
##
## SubTree [S2]
##
## OMS_precursor_mz_error_ppm <= -1.892518: False (12.1/4.8)
## OMS_precursor_mz_error_ppm > -1.892518:
## ....RNPxl_total_MIC > 0.4968228: True (74.4/0.3)
##     RNPxl_total_MIC <= 0.4968228:
##     ....RNPxl_pl_im_MIC > 0.001746027: False (8.6)
##         RNPxl_pl_im_MIC <= 0.001746027:
##         ....aa_class_charged <= 1: False (2.9)
##             aa_class_charged > 1:
##             ....aa_class_polar <= 7: True (155.2/7.2)
##                 aa_class_polar > 7: False (3.1)
##
## ----- Trial 6: -----
##
## Decision tree:
##
## RNPxl_pl_pc_MIC <= 0.001713034:
## ....score <= 0.01433:
## : ....RNPxl_Morph > 22.34067: False (17.1/8.9)
## :     RNPxl_Morph <= 22.34067:
## :     ....RNPxl_pl_im_MIC <= 0.01459797: True (379.7/20.5)
## :         RNPxl_pl_im_MIC > 0.01459797: False (12.5/6.7)
## :     score > 0.01433:
## :     ....RNPxl_pl_MIC > 0.03875625: True (88.6/14.3)
## :         RNPxl_pl_MIC <= 0.03875625:
## :         ....RNPxl_pl_modds <= 0.33299: False (172.8/18.7)
## :             RNPxl_pl_modds > 0.33299:
## :             ....RNPxl_score <= 0.2081771: False (162.8/82.1)
## :                 RNPxl_score > 0.2081771: True (42.1/4.3)
## RNPxl_pl_pc_MIC > 0.001713034:
## ....RNPxl_pl_pc_MIC > 0.01692257: True (565.7/9.9)
##     RNPxl_pl_pc_MIC <= 0.01692257:
##     ....score <= 0.358071:
##         ....RNPxl_modds <= 8.219478: True (584/14.1)
##             RNPxl_modds > 8.219478: False (68.7/54.5)
##             score > 0.358071:
##             ....RNPxl_precursor_score > 0.009979509: True (24.5)
##                 RNPxl_precursor_score <= 0.009979509:
##                 ....aIndex <= 20: True (29.7/1)
##                     aIndex > 20:

```

```

## :....OMS_precursor_mz_error_ppm <= 0.6800386: False (58.8/14.3)
## OMS_precursor_mz_error_ppm > 0.6800386: True (49.4/3)
##
## ----- Trial 7: -----
##
## Decision tree:
##
## aa_class_hydrophobic > 12:
## :....RNPxl_total_loss_score <= 11.3473: False (49.6/0.2)
## : RNPxl_total_loss_score > 11.3473: True (14)
## aa_class_hydrophobic <= 12:
## :....RNPxl_pl_pc_MIC > 0.003447095:
## : ....aa_class_polar > 5: False (31.7/18.1)
## : aa_class_polar <= 5:
## : ....RNPxl_score <= -1.828889:
## : ....RNPxl_marker_ions_score > 0.04883788: False (10.7/2.7)
## : ....RNPxl_marker_ions_score <= 0.04883788:
## : ....RNPxl_score > -1.871791: False (10.9/4.4)
## : ....RNPxl_score <= -1.871791:
## : ....precursor_intensity <= 7494384: True (171.6/4.6)
## : ....precursor_intensity > 7494384: False (7.9/3.5)
## : RNPxl_score > -1.828889:
## : ....precursor <= 999.3894: True (577.1/0.8)
## : precursor > 999.3894:
## : ....precursor <= 1032.44: False (29.2/18.3)
## : precursor > 1032.44:
## : ....precursor_error_ppm <= 0.2342775: False (29.9/23.6)
## : ....precursor_error_ppm > 0.2342775: True (254.5/1.6)
## RNPxl_pl_pc_MIC <= 0.003447095:
## :....RNPxl_partial_loss_score <= 0.04691507: False (52.7)
## RNPxl_partial_loss_score > 0.04691507:
## ....score <= 0.0121387:
## : ....RNPxl_score > 20.26862: True (84.5)
## : RNPxl_score <= 20.26862:
## : ....aa_class_hydrophobic <= 5: True (39.6)
## : aa_class_hydrophobic > 5:
## : ....RNPxl_score > 19.49398: False (9.4/2.9)
## : ....RNPxl_score <= 19.49398:
## : ....score > 0.00985416: True (40.5)
## : ....score <= 0.00985416:
## : ....score > 0.00165906: False (20.4/11.2)
## : ....score <= 0.00165906:
## : ....RNPxl_RNA_MASS_z0 > 635.0778: True (72.3)
## : ....RNPxl_RNA_MASS_z0 <= 635.0778:
## : ....RNPxl_total_MIC <= 0.1422275: False (5)
## : ....RNPxl_total_MIC > 0.1422275: [S1]
## score > 0.0121387:
## ....RNPxl_precursor_score > 0.001085989: True (59.3/3)
## RNPxl_precursor_score <= 0.001085989:
## ....RNPxl_pl_Morph <= 3.113975: False (63.1/2.9)
## ....RNPxl_pl_Morph > 3.113975:
## ....RNPxl_pl_im_MIC > 0.009181726: False (23.9)
## ....RNPxl_pl_im_MIC <= 0.009181726:
## ....precursor > 1043.75: False (17.9)

```

```

## precursor <= 1043.75:
##   ....RNPxl_score <= -2.23855: False (13.8)
##     RNPxl_score > -2.23855:
##       ....RNPxl_pl_MIC > 0.03875625: True (48.4)
##         RNPxl_pl_MIC <= 0.03875625:
##           ....RNPxl_immonium_score > 0.01925475: False (11.5)
##             RNPxl_immonium_score <= 0.01925475:
##               ....aIndex <= 56.67: False (15/2.9)
##                 aIndex > 56.67: [S2]
##
## SubTree [S1]
##
## aa_class_hydrophobic > 9: True (63.2)
## aa_class_hydrophobic <= 9:
##   ....Hydro > -0.16: True (67.2/1.4)
##     Hydro <= -0.16:
##       ....RNPxl_modds <= 0.7470319: False (6.1)
##         RNPxl_modds > 0.7470319:
##           ....RNPxl_pl_err <= 0.003015395: False (75/55.2)
##             RNPxl_pl_err > 0.003015395: True (47.9)
##
## SubTree [S2]
##
## precursor_error_ppm <= 0.4417974: False (17/7.6)
## precursor_error_ppm > 0.4417974:
##   ....precursor_error_ppm > 2.94749: False (4)
##     precursor_error_ppm <= 2.94749:
##       ....RT > 3023.513: False (30/20.9)
##         RT <= 3023.513:
##           ....RNPxl_total_loss_score <= 2.523285: True (156.3/2.2)
##             RNPxl_total_loss_score > 2.523285: False (16.9/13.3)
##
## ----- Trial 8: -----
##
## Decision tree:
##
## score <= 0.061008:
##   ....RNPxl_pl_MIC <= 0.0083432:
##     ....RNPxl_modds <= 0.5975084: False (35.7/14.8)
##       ....RNPxl_modds > 0.5975084: True (155.2/7)
##         RNPxl_pl_MIC > 0.0083432:
##           ....RNPxl_pl_im_MIC <= 0.006229385:
##             ....RNPxl_pl_err > 0.001676484: True (871.6/7.3)
##               ....RNPxl_pl_err <= 0.001676484:
##                 ....RNPxl_pl_err <= 0.001613237: True (167.3/4)
##                   ....RNPxl_pl_err > 0.001613237: False (2.5/0.3)
##                     RNPxl_pl_im_MIC > 0.006229385:
##                       ....RNPxl_RNA_MASS_z0 <= 244.0695: False (5.6)
##                         RNPxl_RNA_MASS_z0 > 244.0695:
##                           ....RNPxl_mass_error_p <= 1.028149: False (5.3)
##                             RNPxl_mass_error_p > 1.028149: True (182/9.9)
##                           score > 0.061008:
##                             ....RNPxl_pl_pc_MIC > 0.021649: True (255.6/8.4)
##                               RNPxl_pl_pc_MIC <= 0.021649:

```

```

##      ....precursor > 1057.878: False (57.2)
##      precursor <= 1057.878:
##      ....RNPxl_pl_Morph <= 3.113975:
##          ....RNPxl_precursor_score <= 0.0103176: False (134.7/30.4)
##          :    RNPxl_precursor_score > 0.0103176: True (29.1)
##          RNPxl_pl_Morph > 3.113975:
##              ....aa_class_hydrophobic > 12: False (13.8)
##              aa_class_hydrophobic <= 12:
##              ....RNPxl_pl_im_MIC > 0.009181726: False (11.2)
##              RNPxl_pl_im_MIC <= 0.009181726:
##                  ....RT > 3783.566: False (10.1)
##                  RT <= 3783.566:
##                      ....RNPxl_pl_pc_MIC > 0.001696311:
##                          ....RNPxl_immonium_score > 0.02689577: False (4.2/1.5)
##                          :    RNPxl_immonium_score <= 0.02689577:
##                          :        ....precursor_error_ppm <= 0.06626505: False (2.5)
##                          :            precursor_error_ppm > 0.06626505: True (179.2/1)
##                          RNPxl_pl_pc_MIC <= 0.001696311:
##                              ....Peplength > 23: True (30.4/0.1)
##                              Peplength <= 23:
##                                  ....RNPxl_pl_MIC > 0.04691937: True (25.8)
##                                  RNPxl_pl_MIC <= 0.04691937:
##                                      ....precursor > 946.3495: False (16.5)
##                                      precursor <= 946.3495: [S1]
##
## SubTree [S1]
##
## RNPxl_partial_loss_score <= 3.192354: False (40.8/15.8)
## RNPxl_partial_loss_score > 3.192354: True (149.5/15.6)
##
## ----- Trial 9: -----
##
## Decision tree:
##
## RNPxl_pl_pc_MIC <= 0.0001836105:
##     ....RNPxl_marker_ions_score > 0.1432697: True (66.3/0.1)
##     :    RNPxl_marker_ions_score <= 0.1432697:
##         ....RNPxl_pl_MIC > 0.05793984: True (59.3/2.6)
##         RNPxl_pl_MIC <= 0.05793984:
##             ....RNPxl_precursor_score > 0.002900583: True (54.5/3.6)
##             RNPxl_precursor_score <= 0.002900583:
##                 ....RNPxl_total_MIC <= 0.4894923: False (403.3/152.6)
##                 RNPxl_total_MIC > 0.4894923:
##                     ....RNPxl_RNA_MASS_z0 <= 324.0359: True (118.8/2.9)
##                     RNPxl_RNA_MASS_z0 > 324.0359: False (28.4/14.9)
##             RNPxl_pl_pc_MIC > 0.0001836105:
##                 ....RNPxl_RNA_MASS_z0 <= 244.0695: False (48.7/26.4)
##                 RNPxl_RNA_MASS_z0 > 244.0695:
##                     ....RNPxl_partial_loss_score <= 0.03149006: False (53.5/34.4)
##                     RNPxl_partial_loss_score > 0.03149006:
##                         ....RNPxl_pl_modds > 1.364098: True (311)
##                         RNPxl_pl_modds <= 1.364098:
##                             ....RNPxl_Da_difference <= -0.0004365474:
##                             ....RNPxl_pl_MIC <= 0.02963713: True (502.5/4.1)

```

```

##          : RNPxl_pl_MIC > 0.02963713: False (17.3/10.6)
## RNPxl_Da_difference > -0.0004365474:
##   ....RNPxl_Da_difference <= -0.0003878434: False (10.4/0.4)
##   ....RNPxl_Da_difference > -0.0003878434:
##     RNPxl_pl_pc_MIC > 0.01306356: True (169.6)
##     RNPxl_pl_pc_MIC <= 0.01306356:
##       ....score > 0.463182: False (38.7/17.6)
##       score <= 0.463182:
##         ....precursor > 1176.198: False (14.3/5.1)
##         precursor <= 1176.198:
##           ....RNPxl_pl_im_MIC > 0.009081018: False (7.5/1.9)
##           RNPxl_pl_im_MIC <= 0.009081018:
##             ....RNPxl_Morph <= 2.544801: False (5.3/1)
##             RNPxl_Morph > 2.544801: True (307.4/9.6)
##
##
## Evaluation on training data (1340 cases):
##
## Trial          Decision Tree
## -----
##    Size      Errors    Cost
##
##    0        26  69( 5.1%)  0.06
##    1        14 129( 9.6%)  0.20
##    2        11 106( 7.9%)  0.24
##    3        23 121( 9.0%)  0.23
##    4        23 160(11.9%)  0.18
##    5        33 105( 7.8%)  0.14
##    6        14 130( 9.7%)  0.22
##    7        37  77( 5.7%)  0.10
##    8        23  67( 5.0%)  0.16
##    9        18 111( 8.3%)  0.13
## boost          7( 0.5%)  0.01  <<
##
##          (a)    (b)    <-classified as
##          ---  ---
##          676      4    (a): class False
##          3    657    (b): class True
##
## Attribute usage:
##
## 100.00% score
## 100.00% RNPxl_pl_pc_MIC
## 100.00% aa_class_hydrophobic
## 99.10% RNPxl_pl_modds
## 95.15% RNPxl_precursor_score
## 94.33% RNPxl_partial_loss_score
## 94.25% RNPxl_pl_MIC
## 91.04% RNPxl_total_MIC
## 90.15% precursor
## 83.58% RNPxl_total_loss_score
## 74.93% aa_class_polar

```

```

##    73.21% RT
##    67.54% RNPxl_score
##    66.72% RNPxl_marker_ions_score
##    60.90% RNPxl_RNA_MASS_z0
##    57.99% RNPxl_pl_Morph
##    56.49% RNPxl_pl_im_MIC
##    53.58% RNPxl_modds
##    44.40% Peplength
##    44.25% Hydro
##    40.00% pI
##    37.69% aIndex
##    37.31% RNPxl_Da_difference
##    29.63% RNPxl_best_localization_score
##    28.81% RNPxl_pl_err
##    26.87% RNPxl_Morph
##    22.99% aa_class_charged
##    22.69% RNPxl_immonium_score
##    21.42% precursor_error_ppm
##    16.34% RNPxl_MIC
##    8.28% OMS_precursor_mz_error_ppm
##    5.67% RNPxl_mass_error_p
##    4.78% precursor_intensity
##
##
## Time: 0.3 secs

C5_UV_RNA_predict_boost_pen<-predict(C5_model_UV_RNA_boost_pen, ml_UV_RNA_test_C5)
CrossTable(ml_UV_RNA_test_C5$Curated, C5_UV_RNA_predict_boost_pen, prop.chisq = FALSE,
           prop.c = FALSE, prop.r = FALSE, dnn = c("actual TRUE", "predicted TRUE"))

##
##
##      Cell Contents
## |-----|-----|
## |          N |-----|
## |      N / Table Total |-----|
## |-----|
## 
## 
## Total Observations in Table:  336
## 
## 
##          | predicted TRUE
## actual TRUE |      False |      True | Row Total |
## -----|-----|-----|-----|
##       False |      143 |       15 |      158 |
##             |      0.426 |     0.045 |      |
## -----|-----|-----|-----|
##       True |        7 |     171 |      178 |
##             |      0.021 |     0.509 |      |
## -----|-----|-----|-----|
## Column Total |      150 |     186 |      336 |
## -----|-----|-----|-----|
## 
## 

```

Classifiers

UV RNA

RIPPER

```
library(rJava)
library(RWeka)

## Warning: package 'RWeka' was built under R version 3.6.2
RIPPER_model_UV_RNA<-JRip(Curated ~ ., data =ml_UV_RNA_train_C5)
RIPPER_model_UV_RNA

## JRIP rules:
## =====
##
## (score <= 0.076056) and (RNPxl_pl_pc_MIC >= 0.003093) => Curated=True (339.0/5.0)
## (score <= 0.013817) => Curated=True (201.0/20.0)
## (RNPxl_pl_pc_MIC >= 0.01727) => Curated=True (79.0/4.0)
## (RNPxl_pl_pc_MIC >= 0.00175) and (RNPxl_pl_modds >= 0.434897) and (RNPxl_pl_pc_MIC <= 0.005377) => Curated=False (1340.0/1340.0)
## (score <= 0.289737) and (RNPxl_partial_loss_score >= 3.218938) and (precursor <= 834.326111) => Curated=False (1340.0/1340.0)
## (RNPxl_pl_MIC >= 0.043482) and (RNPxl_RNA_MASS_z0 <= 324.03587) => Curated=True (6.0/1.0)
## (RNPxl_pl_pc_MIC >= 0.004892) and (aIndex <= 78) and (precursor_error_ppm >= 0.397171) => Curated=True (6.0/1.0)
## (RNPxl_precursor_score >= 0.010039) => Curated=True (2.0/0.0)
## => Curated=False (658.0/17.0)
##
## Number of Rules : 9
summary(RIPPER_model_UV_RNA)

##
## === Summary ===
##
## Correctly Classified Instances      1284          95.8209 %
## Incorrectly Classified Instances     56          4.1791 %
## Kappa statistic                   0.9164
## Mean absolute error                0.077
## Root mean squared error            0.1962
## Relative absolute error             15.4008 %
## Root relative squared error        39.2438 %
## Total Number of Instances          1340

##
## === Confusion Matrix ===
##
##      a   b  <-- classified as
## 641  39 |   a = False
## 17 643 |   b = True

RIPPER_UV_RNA_predict<-predict(RIPPER_model_UV_RNA, ml_UV_RNA_test_C5)
CrossTable(ml_UV_RNA_test_C5$Curated, RIPPER_UV_RNA_predict, prop.chisq = FALSE,
           prop.c = FALSE, prop.r = FALSE, dnn = c("actual TRUE", "predicted TRUE"))

##
## 
## Cell Contents
## |-----|
```

```

## | N |
## |     N / Table Total |
## |-----|
## 
## 
## Total Observations in Table: 336
## 
## 
##           | predicted TRUE
##   actual TRUE |    False |    True | Row Total |
## -----|-----|-----|-----|
##   False |    144 |     14 |    158 |
##          | 0.429 | 0.042 |      |
## -----|-----|-----|-----|
##   True |      7 |   171 |    178 |
##          | 0.021 | 0.509 |      |
## -----|-----|-----|-----|
## Column Total |   151 |   185 |    336 |
## -----|-----|-----|-----|
## 
## 
```

UV RNA no FAIMS, charge state 2-7

Now, let us test KNN, C5, and RIPPER models on unknown data: Ecoli UV no FAIMS runs

Data setup UV RNA Cno FAIMS charge state 2-7

```

UV_RNA_no_FAIMS_KNN<-read_delim("Awulf_090919_Ecoli_UV_S100_noFAIMS_charge_state27_table.csv", delim ="

## Parsed with column specification:
## cols(
##   .default = col_double(),
##   sequence = col_character(),
##   accessions = col_character(),
##   `RNPxl:NT` = col_character(),
##   `RNPxl:RNA` = col_character(),
##   `RNPxl:best_localization` = col_character(),
##   `RNPxl:localization_scores` = col_character(),
##   protein_references = col_character(),
##   target_decoy = col_character(),
##   `PeakAnnotations(mz:intensity:charge:annotation;)` = col_character()
## )

## See spec(...) for full column specifications.

names(UV_RNA_no_FAIMS_KNN) <- gsub("\\.", "_", names(UV_RNA_no_FAIMS_KNN))
names(UV_RNA_no_FAIMS_KNN) <- gsub("\\:", "_", names(UV_RNA_no_FAIMS_KNN))
names(UV_RNA_no_FAIMS_KNN) <- gsub("\\ ", "_", names(UV_RNA_no_FAIMS_KNN))
names(UV_RNA_no_FAIMS_KNN) <- gsub("\\\\", "_", names(UV_RNA_no_FAIMS_KNN))
UV_RNA_no_FAIMS_KNN$XLinker <- "UV"
UV_RNA_no_FAIMS_KNN$Nucleotides <- "RNA"
UV_RNA_no_FAIMS_KNN$Sample <- "S100"
UV_RNA_no_FAIMS_KNN<-UV_RNA_no_FAIMS_KNN[UV_RNA_no_FAIMS_KNN$RNPxl_RNA!="none",] %>%
```

```

filter(target_decoy == 'target')
UV_RNA_no_FAEMS_KNN$prepPep<-gsub("(Carbamyl)", "", as.character(UV_RNA_no_FAEMS_KNN$sequence))
UV_RNA_no_FAEMS_KNN$prepPep <- gsub("(Oxidation)", "", as.character(UV_RNA_no_FAEMS_KNN$prepPep))
UV_RNA_no_FAEMS_KNN$prepPep <- gsub("(Phospho)", "", as.character(UV_RNA_no_FAEMS_KNN$prepPep))
UV_RNA_no_FAEMS_KNN$prepPep <- gsub("\\\\(\\\\)", "", UV_RNA_no_FAEMS_KNN$prepPep)
UV_RNA_no_FAEMS_KNN$prepPep <- gsub("\\..*", "", UV_RNA_no_FAEMS_KNN$prepPep)
UV_RNA_no_FAEMS_KNN$Pepseq <- UV_RNA_no_FAEMS_KNN$prepPep
UV_RNA_no_FAEMS_KNN$Peplength<-nchar(UV_RNA_no_FAEMS_KNN$Pepseq, type = "chars")
UV_RNA_no_FAEMS_KNN$aa_class_charged<-str_count(UV_RNA_no_FAEMS_KNN$Pepseq, paste("R|K|D|E", collapse = ""))
UV_RNA_no_FAEMS_KNN$aa_class_polar<-str_count(UV_RNA_no_FAEMS_KNN$Pepseq, paste("Q|N|H|S|T|Y|C|W", collapse = ""))
UV_RNA_no_FAEMS_KNN$aa_class_hydrophobic<-str_count(UV_RNA_no_FAEMS_KNN$Pepseq, paste("A|I|L|M|F|V|P|G"))
UV_RNA_no_FAEMS_KNN$pI <- round(pI(UV_RNA_no_FAEMS_KNN$Pepseq), 2)
UV_RNA_no_FAEMS_KNN$aIndex <- round(aIndex(UV_RNA_no_FAEMS_KNN$Pepseq), 2)
UV_RNA_no_FAEMS_KNN$XL_aa<-gsub("[A-Z]", "", UV_RNA_no_FAEMS_KNN$RNPx1_best_localization)
UV_RNA_no_FAEMS_KNN$Hydro <- round(hydrophobicity(UV_RNA_no_FAEMS_KNN$Pepseq, scale = "KyteDoolittle"), 2)
UV_RNA_no_FAEMS_KNN$mw <- round(mw(UV_RNA_no_FAEMS_KNN$Pepseq, monoisotopic = F), 2)
UV_RNA_no_FAEMS_KNN$cv <- c("35_45")

names(UV_RNA_no_FAEMS_KNN)[names(UV_RNA_no_FAEMS_KNN) == "precursor_m/z"] <- "precursor"
names(UV_RNA_no_FAEMS_KNN)[names(UV_RNA_no_FAEMS_KNN) == "precursor_error_(ppm_)"] <- "precursor_error"
UV_RNA_no_FAEMS_KNN<-UV_RNA_no_FAEMS_KNN %>%
  filter(RNPx1_isPhospho == "0")

UV_RNA_no_FAEMS_KNN_model<-UV_RNA_no_FAEMS_KNN %>%
  select(colnames(ml_UV_RNA_train_knn))

```

Normalizing

```

UV_RNA_no_FAEMS_KNN_model_norm<-UV_RNA_no_FAEMS_KNN_model%>%
  select_if(is.numeric)
UV_RNA_no_FAEMS_KNN_model_norm<-as.data.frame(lapply(UV_RNA_no_FAEMS_KNN_model_norm, normalize))
UV_RNA_no_FAEMS_KNN_model_norm[is.na(UV_RNA_no_FAEMS_KNN_model_norm)] <- 0

```

Classifying UV RNA FAIMS data

KNN5

```

UV_RNA_no_FAEMS_knn_pred <- knn(train = ml_UV_RNA_train_knn, test = UV_RNA_no_FAEMS_KNN_model_norm,
                                    cl = ml_UV_RNA_train_knn_labels$Curated, k = 5)
UV_RNA_no_FAEMS_KNN_model$Prediction<-UV_RNA_no_FAEMS_knn_pred
table(UV_RNA_no_FAEMS_KNN_model$Prediction)

##
## False True
## 18683 478

UV_RNA_no_FAEMS_KNN$Prediction_KNN<-UV_RNA_no_FAEMS_knn_pred

```

C5.0 with boosting and penalty for false positives

penalize False Positives 4 times more than false negatives.

```

matrix_dimensions<- list(c("True", "False"), c("True", "False"))
names(matrix_dimensions) <- c("predicted", "actual")

```

```

error_cost <- matrix(c(0,1,4,0), nrow = 2, dimnames = matrix_dimensions)

ml_UV_RNA_no_FAIMS_test_C5<-UV_RNA_no_FAIMS_KNN %>%
  select(colnames(ml_UV_RNA_train))

C5_UV_RNA_no_FAIMS_predict_boost_pen<-predict(C5_model_UV_RNA_boost_pen, ml_UV_RNA_no_FAIMS_test_C5)

ml_UV_RNA_no_FAIMS_test_C5$Prediction<-C5_UV_RNA_no_FAIMS_predict_boost_pen
table(ml_UV_RNA_no_FAIMS_test_C5$Prediction)

##
## False True
## 14942 4219

UV_RNA_no_FAIMS_KNN$Prediction_C5<-C5_UV_RNA_no_FAIMS_predict_boost_pen

```

RIPPER

```

RIPPER_UV_RNA_no_FAIMS_predict<-predict(RIPPER_model_UV_RNA, ml_UV_RNA_no_FAIMS_test_C5)
ml_UV_RNA_no_FAIMS_test_C5$Prediction_RIPPER<-RIPPER_UV_RNA_no_FAIMS_predict
table(ml_UV_RNA_no_FAIMS_test_C5$Prediction_RIPPER)

##
## False True
## 8824 10337

UV_RNA_no_FAIMS_KNN$Prediction_RIPPER<-RIPPER_UV_RNA_no_FAIMS_predict

```

collapsed Proteins

S100 no FAIMS charge state 2-7 KNN

```

d<-UV_RNA_no_FAIMS_KNN %>%
  filter(Prediction_KNN == "True") %>%
  select(accessions) %>%
  distinct()
nrow(d)

## [1] 408

write_excel_csv(as.data.frame(d), "S100_UV_RNA_no_FAIMS_27_accessions.csv")

```

S100 FAIMS FAIMS charge state 2-7 C5.0

```

nrow(UV_RNA_no_FAIMS_KNN %>%
  filter(Prediction_C5 == "True") %>%
  select(accessions) %>%
  distinct())

## [1] 2222

```

S100 FAIMS FAIMS charge state 2-7 RIPPER

```

nrow(UV_RNA_no_FAIMS_KNN %>%
  filter(Prediction_RIPPER == "True") %>%

```

```
select(accessions) %>%  
distinct()
```

```
## [1] 3170
```